



Aluminiumgehäuse  
Energieeffizienzklasse: IE3

Bestell-Nr.	Antriebsleistung in kW	Phasen / Pole	Spannung in Volt	Frequenz in Hz	Drehzahl in U/min	Baugröße	IE Klasse
720-655-01000	0,75	3Ph / 2P	230/400	50	2840	80	IE3
720-655-01050	1,1	3Ph / 2P	230/400	50	2840	80	IE3
720-655-01100	1,5	3Ph / 2P	230/400	50	2840	90S	IE3
720-655-01150	2,2	3Ph / 2P	230/400	50	2840	90L	IE3
720-655-01200	3	3Ph / 2P	230/400	50	2860	100L	IE3
720-655-01250	4	3Ph / 2P	230/400	50	2880	112M	IE3

Baugröße IEC	A	AA	AB	AC	AD	AG	B	BA	BB	C	D	DH	E	EB	ED	F	G	GA	H	HA	K	L	LB	LD	LL	M	N	P	S	T
80	125	35	157	158	129	101	100	31	125	50	19	M6 x 16	40	30	5	6	15,5	21,5	80	8	10 x 14	290	250	115	101	100	80	120	M6	3
90S	140	37	173	175	140	109	100	31,5	125	56	24	M8 x 19	50	40	5	8	20	27	90	10	10 x 14	325	275	145	109	115	95	140	M8	3
90L	140	37	173	175	140	109	125	31,5	150	56	24	M8 x 19	50	40	5	8	20	27	90	10	10 x 14	350	300	145	109	115	95	140	M8	3
100L	160	40	196	198	156	109	140	39	172	63	28	M10 x 22	60	50	5	8	24	31	100	11	12 x 16	398	338	148,5	109	130	110	160	M8	3,5
112M	190	41	227	230	176	117,5	140	43	180	70	28	M10 x 22	60	50	5	8	24	31	112	12	12 x 16	394	334	152	117,5	130	110	160	M8	3,5

